EB-L1405U



DATASHEET





























This 8,000 lumens WUXGA LCD laser projector offers superior images and a long-lasting, low maintenance performance

Promising long-life laser projection for large venues, this 8,000 lumens WUXGA projector delivers rich, vivid colours thanks to Epson's 3LCD technology and equally high White and Colour Light Output. With flexible installation and low maintenance, this 4K enhanced projector offers a fit-and-forget solution for scenarios in which only superior projections will do.

Laser-sharp images

Ensure superb quality and the best possible delivery of presentations with this laser installation projector for large venues. Featuring 3LCD technology and equally high White and Colour Light Output, its WUXGA resolution images are vivid and bright, even in daylight. Including a newly developed inorganic phosphor wheel, the projector offers superior light and heat resistance to deliver excellent reliability. For a next-level viewing experience, the projector features 4K enhancement, giving images exceptional sharpness and clarity that lasts for up to 56,000 hours ¹ thanks to a long laser life. A built-in camera is also included to ensure accurate image calibration.

Flexible positioning

Thanks to a new range of motorised lenses, including optional ultra-short throw (UST) lens, the projector benefits from true 360° installation flexibility, allowing it to be placed virtually anywhere - without loss of brightness or distortion of image.



KEY FEATURES

- Laser light source technology
 Reliable and long-lasting picture quality
 (up to 56,000 hours²)
- Superior picture quality
 Enhanced light output; superior white balance; better colour matching
- HD images with 4K enhancement Exceptional sharpness, clarity and detail for the real 4K effect
- Flexible 360° installation
 True flexibility without distortion or loss of brightness
- Added peace of mind Product comes with 5-year, 20,000 hour warranty





PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System 3LCD Technology LCD Panel 0,76 inch with C2 Fine

IMAGE

Colour Light Output 8.000 lumen-5.600 lumen (economy) In accordance with IDMS15.4 White Light Output 8.000 lumen - 5.600 lumen (economy) In accordance with ISO 21118:2012

WUXGA, 1920 x 1200, 16:10 Resolution

High Definition 4K enhancement Aspect Ratio 16:10 Contrast Ratio 2.500.000:1 Native Contrast 2.000:1

Laser Light source 20.000 Hours Durability High,30.000 Hours Durability Eco

Portrait Colour Light Output 8.000 lm Portrait White Light Output 8.000 Im

Keystone Correction Manual vertical: \pm 45 °, Manual horizontal \pm 30 °

Upto 1.07 billion colours Colour Reproduction

OPTICAL

Projection Ratio 1.44 - 2.32:1

Motorized, Factor: 1 - 1,6 Zoom

Motorized - Vertical ± 67 %, horizontal ± 30 % Lens Shift

Lens position memory 50 inches - 300 inches Projection Size

Projection Lens F Number 1,7 - 2,3

24,02 mm - 38,24 mm Focal Distance

Focus Motorized Projection Distance Wide 1,5 m - 9,4 m Projection Distance Tele 2.5 m - 15.1 m Projection Distance Wide/Tele 1,53 m - 15,1 m

CONNECTIVITY

Stereo mini jack audio in (3x), Stereo mini jack audio out, HDBaseT, BNC in, HDMI in, DVI in, Interfaces

VGA out, VGA in, Ethernet interface (100 Base-TX / 10 Base-T), RS-232C, USB 2.0 Type B

(Service Only), HD-SDI Ad-Hoc / Infrastructure

Epson iProjection App

ADVANCED FEATURES

Features 4K enhancement, Absolute Black, Auto Calibration, Customizable user logo, Frame

interpolation, Lens position memory

Cinema, Dynamic, Presentation, sRGB, DICOM SIM, Multi Projection Video Colour Modes

Projector control via: AMX, Crestron, Control4

Kensington lock, Security bar, Wireless LAN unit lock, Wireless LAN security, Password Security

protection

GENERAL

Energy Use 625 W, 417 W (economy), 0,5 W (standby), On mode power consumption as defined in JBMS-

84 548 W

Supply Voltage AC 100 V - 240 V.50 Hz - 60 Hz

Product dimensions 586 x 492 x 211 mm (Width x Depth x Height)

Product weight

Noise Level Normal: 35 dB (A) - Economy: 29 dB (A) (4K enhancement OFF)

Colour Black

OTHER

Warranty 60 months Carry in or 20.000 h Optional warranty extension available

EB-L1405U

WHAT'S IN THE BOX

- Remote control incl. batteries
- Quick Start Guide
- Power and signal cable (3 m)
- Computer cable
- Cable cover
- CD Manual



OPTIONAL ACCESSORIES

EB-L1405U

- Ceiling Mount ELPMB47 Low EB-G7000/L1000 V12H802010
- Ceiling Mount ELPMB48 High EB-G7000/L1000 V12H803010
- 3D Polarizer ELPPL01
 V12H618A01
- Adapter ELPAP10 Wireless LAN b/g/n

V12H731P01

- HDBaseT Transmitter ELPHD01
 V12H547040
- Quick Wireless Connect USB key ELPAP09 V12H005M09

OPTIONAL LENSES

- Lens ELPLM09 Mid throw 2 G7000/L1000 series V12H004M09
- Lens ELPLU03 G7000 & L1000 Series ST off axis 1 V12H004U03
- Lens ELPLU04 G7000 & L1000 Series ST off axis 2 V12H004U04
- Lens ELPLW05 G7000 & L1000 Series wide zoom 1 V12H004W05
- Lens ELPLM08 Mid throw 1 G7000/L1000 series V12H004M08
- Lens ELPLL08 Long throw G7000/L1000 series V12H004L08
- Lens ELPLM10 Mid throw 3 G7000/L1000 series V12H004M0A
- Lens ELPLM11 Mid throw 4 G7000/L1000 series V12H004M0B

LOGISTICS INFORMATION

sku	V11H739140
EAN code	8715946616926
Country of Origin	China